Basics of Unix philosophy

(Da The Art of Unix Programming, di Eric Steven Raymond)

Doug McIlroy:

- (i) Make each program do one thing well. To do a new job, build afresh rather than complicate old programs by adding new features.
- (ii) Expect the output of every program to become the input to another, as yet unknown, program. Don't clutter output with extraneous information. Avoid stringently columnar or binary input formats. Don't insist on interactive input.
- (iii) Design and build software, even operating systems, to be tried early, ideally within weeks. Don't hesitate to throw away the clumsy parts and rebuild them.
- (iv) Use tools in preference to unskilled help to lighten a programming task, even if you have to detour to build the tools and expect to throw some of them out after you've finished using them.

1/17. Rule of Modularity:

Write simple parts connected by clean interfaces.

Ancora Doug McIlroy:

This is the Unix philosophy:

- ▶ Write programs that do one thing and do it well.
- ▶ Write programs to work together.
- Write programs to handle text streams, because that is a universal interface.

2/17. Rule of Clarity:

Clarity is better than cleverness.

| 3/17. Rule of Composition: | 4/17. Rule of Separation: |
|--|---|
| Design programs to be connected to other programs. | Separate policy from mechanism; separate interfaces from engines. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 5/17. Rule of Simplicity: | 6/17. Rule of Parsimony: |
| Design for simplicity; add complexity only where you must. | Write a big program only when it is clear by demonstration that nothing else will do. |
| | |
| | |
| | |

| 7/17. Rule of Transparency: | 8/17. Rule of Robustness: |
|---|--|
| Design for visibility to make inspection and debugging easier. | Robustness is the child of transparency and simplicity. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 9/17. Rule of Representation: | 10/17. Rule of Least Surprise: |
| Fold knowledge into data so program logic can be stupid and robust. | In interface design, always do the least surprising thing. |
| | |
| | |
| | |

| 11/17. Rule of Silence: | 12/17. Rule of Repair: |
|--|--|
| When a program has nothing surprising to say, it should say nothing. | When you must fail, fail noisily and as soon as possible. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 13/17. Rule of Economy: | 14/17. Rule of Generation: |
| Programmer time is expensive; conserve it in preference to machine time. | Avoid hand-hacking; write programs to write programs when you can. |
| | |
| | |
| | |

| 15/17. Rule of Optimization: | 16/17. Rule of Diversity: |
|--|--|
| Prototype before polishing. Get it working before you optimize it. | Distrust all claims for "one true way" |
| | |
| | |

17/17. Rule of Extensibility:

Design for the future, because it will be here sooner than you think.